



Smart Heating Solutions

Industrial & Commercial Portable Electric Heaters

NEED HEAT?

**For Rental Services &
Temporary Heating Applications**



Temporary Heating Solutions For Any Job!

From smaller portable electric heaters to industrial & commercial units designed to heat large construction projects, we've got you covered.

Portable Electric Advantages

- 100% clean, dry heat - no moisture added to air
- No exhaust - can be used in confined spaces
- No need for gas line or propane
- Quiet operation
- Ductable & non-ductable models available

Applications

- Temporary heating for contractors & special events
- Emergency situations - heat loss, thawing of frozen pipes

Capacity

5 kW / 7.5kW / 10kw / 15kW / 20kW / 25kW

**All Units Provide Dry Heat
Does Not Add Moisture To Environment**

Portable Wheeled Unit Heater

PCKW Series

LIMITED
2 Year
Warranty

UP TO 2500 SQ FT

34,100-85,250 BTU

1,000-1500 CFM

208/240/480V

10kW-25kW 1-3 Phase



- High mass steel fin heat exchangers
- Adjustable louvers
- Large capacity dual-inlet blower handles high static pressure
- Built-In thermostat (40°-100°F)
- Washable intake air filters
- Front and back carrying handles & heavy-duty pneumatic wheels
- Heat switch & fan only switch
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction
- 6ft. SO cord (no plug)



Industrial Portable Unit Heater

PKB-FM Series

LIMITED
2 Year
Warranty

UP TO 2000 SQ FT

17,100-68,200 BTU

400-1100 CFM

208/240/480V

5kW-20kW 1-3 Phase



- Stackable Design
- Adjustable louvers
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)



Portable Outdoor Rated Unit Heater

PCKF Series

LIMITED
2 Year
Warranty



UP TO 2500 SQ FT
34,100-85,250 BTU
1,000-1500 CFM

208/240/480V
10kW-25kW 1-3 Phase



- UL approved for outdoor use
- 12" duct transition collar
- Large capacity dual-inlet blower handles high static pressure
- Remote thermostat with 100' cord for temp control
- 24V control for heat or fan only
- High mass steel fin heat exchanger
- Long life 48 frame totally enclosed motor
- N.E.M.A. 12" gasket construction



Ducted Portable Unit Heater

PKB-DT-OR Series

LIMITED
2 Year
Warranty

UP TO 1500 SQ FT
17,100-51,200 BTU
400-925 CFM

208/240/480V
5kW-15kW 1-3 Phase



- 12" Duct transition collar
- Spiral finned heat elements
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)



Electronic Portable Wheeled Unit Heater

PKB Platinum Series

LIMITED
2Year
Warranty

PLATINUM

UP TO 2000 SQ FT
25,600-68,200 BTU
400-1100 CFM

208/240/480V
7.5kW-20kW 1-3 Phase

- Platinum electronic temperature sensing
- Large LED display
- Remote control included
- Fan only & timer modes
- Adjustable louvers
- Long life unit bearing motor
- Spiral finned heat elements
- 6ft. SO cord (no plug)



Stainless Portable Unit Heater

PKBS Series

LIMITED
2Year
Warranty

UP TO 2000 SQ FT
17,100-68,200 BTU
400-1100 CFM

208/240/480V
5kW-20kW 1-3 Phase



- Stainless steel for periodic hose - down
- Adjustable louvers
- Built-in thermostat (40°-100°F)
- Carry handles & rubber feet
- Fan only switch
- 6ft. SO cord (no plug)



High Velocity Drum Fans

DFC Series

LIMITED
1 Year
Warranty

7300-17800 CFM

73-81 DB

Noise Level



24" / 30" / 36" / 42" / 48" 120V Belt Drive / Direct Drive

Features

- 2-Speed switch motor
- Aerodynamically balanced blades
- Convenient handles & rugged wheels
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish



High Velocity Pedestal Fans


PFC / PFO Series

LIMITED
1 Year
Warranty

8800-91000 CFM

74-76 DB

Noise Level



24" / 30" 120V Direct Drive

Features

- 2-Speed pull chain switch
- 3 aerodynamically balanced blades
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish
- Adjustable height from 57" to 75"



REV_3-01-24

King Electrical Manufacturing Company

9131 10th Avenue South, Seattle WA 98108 phone 206.762.0400 fax 206.763.7738

king-electric.com



Smart Heating Solutions

Industrial & Commercial Portable Electric Heaters

Item Number		PKB-FM	PKB-DT	PKBS	PKB Platinum	PCKW	PCKF
Category		Industrial Portable		Industrial Portable		Wheeled Industrial Portable	
Application		Portable Large Facility Coverage		Portable Large Facility Coverage		Portable Large Facility Coverage	
Max SqFt (8Ft Ceiling)		Up to 2,000 SqFt		Up to 2,000 SqFt		Up to 2,000 SqFt	
Voltage		208, 240, 480		208, 240, 480		208, 240, 480	
Wattages Available (kW)		5,000 - 20,000		5,000 - 20,000		10,000 - 25,000	
Phasing Available		1PH or 1-3Ph		1PH or 1-3Ph		1PH or 1-3Ph	
Power Supply		Portable		Portable		Portable	
BTU Output		17,100 - 68,200		17,100 - 68,200		34,100 - 85,250	
CFM		400 - 1100		400 - 1100		1000 - 1500	
Energy-Saving 2-Stage Heating		NO		NO		NO	
Built-In Thermostat		Bi-Metal		Bi-Metal		Electronic	
Adjustable Louvers		YES		YES		YES	
Power Indicator Light		NO		NO		NO	
ON/OFF Switch		NO		NO		YES	
High/Low		NO		NO		NO	
Fan Only Switch		YES		YES		YES	
Built-In Timer		NO		NO		NO	
Element Construction		Spiral Fin		Spiral Fin Stainless		Spiral Fin	
High Limit Safety Control		Self-Hold		Self-Hold		Auto Reset	
Auto Fan Delay		YES		YES		YES	
Ductable		Ductable On Outlet		YES		Ductable On Outlet	
Wet Location Rating		NO		NO		NO	
Instruction Manual		YES		YES		YES	
Mounting Diagram		NO		NO		NO	
Warranty		2-Year		2-Year		2-Year	
Factory Tech Support		YES		YES		YES	
Electronic Controls		NO		NO		NO	
Remote Control		NO		NO		NO	
Made In USA		YES		YES		YES	

